

OUR PRESENTERS



John Kuzin
Senior Vice President,
Spectrum Policy & Regulatory Counsel
Qualcomm Incorporated



Tingfang JiVice President, Engineering
Qualcomm Technologies, Inc.





Mobile data demands continue to fuel the need for more licensed spectrum



Wireless ecosystem is preparing today for new 6G technologies



Spectrum innovations will form the foundation of 6G advancements, providing enhancements across all bands



Our wireless research is enabling enhanced spectrum efficiencies and support for new bands



Questions?

Shaping the digital future



Powering the mobile revolution



Redefining inter-connected processing



Enabling intelligent computing everywhere



Intelligent computing everywhere

Unrivaled connectivity

High-performance, low-power compute

Leading edge Al





Growing mobile data demands continue fueling the need for more licensed spectrum



GLOBAL DATA CONSUMPTION

Unstoppable growth



Continued mobile data consumption

Global mobile data usage predicted to grow 4x by 2030

Key drivers fueling mobile traffic increase:



Broad 5G use



Enhancements in streaming video quality



The rise of XR



Cloud gaming



Al is bringing new data traffic for mobile


Al poised to transform global wide-area network (WAN) traffic with consumer Al traffic dominating

Global WAN traffic projected to grow **5x** to **9x** from 2023 to 2033, with Al accounting for **33%** of all traffic



Additional spectrum will be needed to address surging AI traffic


Al is poised to transform global wide-area network (WAN) traffic with consumer Al traffic dominating



Sources: Nokia Bell Labs Global Network Traffic Report 2024

Non-Al Traffic

Booming US mobile data traffic





US wireless data demand will triple by 2029


More wireless data consumed in 2023 than 2010 to 2018 combined

Equivalent to every household streaming 'House of the Dragon' Season 1 daily

5G's rising role in daily life — from mobile and fixed broadband to connected healthcare — is driving wireless data demand

Source: CTIA Annual Survey 2024

Surging global mobile data usage – A trend we can't ignore





Global mobile data usage will quadruple by 2030

Mobile data traffic is projected to grow at a 23% CAGR from 2023 to 2030, reaching over 465 exabytes monthly by 2030

Key drivers for mobile traffic increase:

- Broad 5G adoption & use
- Enhancements in streaming video quality
- The rise of XR eye-ware
- Cloud gaming
- Al-powered application growth

Source: GSMA The Mobile Economy 2024

Today's spectrum allocations are enabling MNOs to support growth in the 5G era but it cannot satisfy surging demands

5G (& Wi-Fi) Bands
——— Licensed

Unlicensed / shared

 Under study/proposed rules/waiting for auction

	<1GHz 30	SHz 40	GHz 5GHz 6GHz	24-30GHz	37-50GHz	60 GHz	>95GHz
	600MHz 900MHz 2.5/2.6GHz (2x35MHz) (2x3MHz) (B41/n41)	3.1-3.45GHz 3.45-3.55GHz 3.7- 3.55-3.7GHz 3.98GHz	4.94- 4.99GHz 5.9–7.1GHz	24.25-24.45GHz 24.75-25.25GHz 27.5-28.35GHz	37-37.6GHz 37.6-40GHz 42-42.5GHz 47.2-48.2GHz	57-71GHz	>95GHz
(*)	600MHz (2x35MHz)	3.45- 3.65- 3.65 GHz 3.9GHz	5.9–7.1GHz	26. <u>5-28.35</u> GHz	37-37.6GHz 37.6-40GHz	57-71GHz	>95GHz
	700MHz (2x30 MHz)	3.4–3.8GHz	5.9–6.4GHz	24.5-27.5GHz		57-66GHz	
	700MHz (2x <u>30 MH</u> z)	3.4–3.8GHz	5. <u>9–6.4GH</u> z	24.25-27.5 GHz	40.5-43.5 GHz	57-66GHz	
	700MHz (2x <u>30 MH</u> z)	3.4–3.8GHz	5.9 <u>–6.4GH</u> z	24 <u>.25-27.5</u> GHz		57-66GHz	
	700MHz (2x30 MHz)	3.46–3.8GHz	5. <u>9–6.4GH</u> z	24.25-27.5 GHz		57-66GHz	
	700MHz (2x30 MHz)	3.6–3.8GHz	5.9–6.4GHz	24.25-27.5 GHz		57-66GHz	
	700/ 2GHz 2.5/2.6GHz 800MHz 900MHz (n1) (B41/n41)	3.3–3.6GHz ———	4.8–5GHz	24.75-27.5GHz ———	37-43.5GHz ————		<u></u>
	700/800MHz 2.3-2 <u>.3</u> 9GHz	3.4– 3.7- 3.7GHz <u>4</u> .0GHz	4.72– 4.82GHz 5.9–7.1GHz	25.7- 26.5- 28.9- 26.5GHz 28.9GHz 29.5GHz	37GHz	57-64GHz	
•	700/800MHz 2.3 GHz	3.6–4.1GHz	4.5–4.9GHz 5.9–6.4GHz	27-29.5GHz ——		57-66GHz ———	•
	600MHz (2x40 MHz) 700MHz (2x30 MHz)	3. <u>3</u> –3.67GHz		24.25-27.5GHz			
	2.3 GHz	3.7- 3.4–3.7GHz 4.0GHz	5.9–6.4GHz	24.25-29.5GHz	39GHz	57-66GHz	

Source: GSA



Wireless stakeholders are actively working to open new 6G spectrum bands



Future use cases and performance needs demand greater capacity 6G will need fresh spectrum assets


















Introducing new bands for global connectivity takes time

Spectrum is the key ingredient to unlocking wireless advancements



Spectrum planning cycle: ~8-10 years

Qualcomm began working to open 6G spectrum bands in 2021

Why the path to new spectrum for 6G takes time



Technology **Innovations**

Advancements are continuous but early alignment of targeted spectrum helps to secure focused financial and human resource investments



Regulatory Coordination [mm]



Governments plan, gather inputs, assess options, and complete studies to inform spectrum policy decisions and efficient allocations



Technology Standards

New technologies take time to mature and become a part of the global technology standard through a consensus-driven process (e.g., 3GPP)



Global Leadership

New spectrum can bring significant competitive advantages to fuel economic growths and sustainability initiatives

Preparation 000 for WRC-27



Spectrum harmonization is complex and doesn't happen overnight, we need thorough planning to ensuring a successful transition to 6G

Outcome from WRC-23

Creates the conditions for a more connected and technologically advanced future



Setting the stage for WRC-27

Outlined the WRC-27 agenda, encompassing the evaluation of extra spectrum bands for IMT to support next-gen mobile connectivity in the 2030s



New spectrum allocations

Allocated new low-band (< 1GHz) and mid-band (3.5 GHz and 6 GHz) spectrum, crucial for mobile sector innovation and digital ambitions globally



3.5 GHz band harmonization

Achieved final harmonization across EMEA, marking a significant advancement for 5G technology



6 GHz band for IMT

Identified
6.425 - 7.125 GHz
for IMT in
all ITU regions,
supporting the
expansion of
mobile capacity for
future networks



Low-band spectrum for digital equality


Allocated the 470-694 MHz band, aiming to improve internet connectivity, especially in rural areas

Setting the stage for WRC-27

IMT spectrum to be studied towards WRC-27



ITU-R will study new candidate bands for IMT-2030/6G usage with decisions to be made at WRC-27





To support the usage scenarios defined in the IMT-2030 framework, i.e., ITU-R M.2160 Recommendation, there is a need to study mid-band spectrum with more contiguous bandwidth

^{*} By footnote, limited counties

US 6G spectrum: Creating a pipeline including the upper mid-band and modernizing utilization



US National Spectrum Strategy (NSS) bands under study

Published on November 13, 2023

Spectrum identified for in-depth study

- 3.1 3.45 GHz: expanded shared federal/non-federal uses
- 5.03 5.091 GHz: federal/non-federal UAS operations
- 7.125 8.4 GHz: federal use for mobile broadband
- 18.1 18.6 GHz: federal/non-federal satellite operations
- 37.0 37.6 GHz: shared access



FCC's Notice of Proposed Rulemaking (NRPM) on upper 12 GHz

Published on July 10, 2023

Seeks to repurpose some or all the **12.7 – 13.25 GHz** band for mobile broadband

Encourages more efficient and intensive use of the band, considering spectrum sharing methodologies


Includes measures to protect incumbent services



Spectrum innovations will form the foundation of 6G advancements


DELIVERING ENHANCEMENTS ACROSS ALL BANDS






Driving the 6G technology evolution

6G vision from ITU-R — Usage scenarios and capabilities



Our vision for 6G spectrum is to deliver ...





Unlock

new spectrum

Fostering sustained growth and allowing new services to truly take off...

6G is set to prioritize cost-efficient traffic scaling, which necessitates additional capacity even without accounting for new use cases (e.g., smartphones)

New spectrum with wider- bandwidth to enable new high-performance use cases (e.g., immersive communication and consumer Gen-Al traffic)

Improve capacity in existing coverage spectrum bands (e.g., low-band FDD/TDD)

6G will bring innovation opportunities for all spectrum bands



6G will leverage all spectrum bands to serve diverse use cases and deployments

LOW BANDS (FDD) below 1 GHz (~20 MHz BW) MID BANDS (FDD, TDD) 1 — 7 GHz (~100 MHz BW) (TDD) 7-24 GHz (~500 MHz BW) mmWAVE BANDS (TDD) 24-71 GHz (~800 MHz BW) SUB-THZ (TDD) 100+ GHz (GHz BW)

Use Cases Deep wide-area coverage and low power IoT

Wide area coverage layer & macro capacity layer, wide area location services

Macro capacity layer for 6G data, FWA, NTN, wide area sensing

Capacity hotspots, venues, dense urban outdoor, FWA, local sensing

Extreme data rate for fixed links (e.g., data center communications), sensing

Enabling Tech

Efficient waveform, coding, multiple access

FDD MIMO scaling and TDD BW aggregation

Giga-MIMO at gNB, UE antenna scaling, SBFD, RAN-sharing

Unified transmission configuration indicator (TCI), beam management

Efficient scaling, lensed MIMO

Wider Coverage

Higher Capacity

6G presents an opportunity to bring significant upgrade to lower band spectrum

Targeting low/mid-FDD¹ coverage bands to enhance wide-area user experience



Guard band reduction

Higher bandwidth occupancy for 6G FDD bands



Modulation, coding, and MIMO mapping

Evolved 5G coding, modulation to 6G LDPC ² code, constellation shaping, MIMO mapping



Reference and feedback signals

Combine best of 4G/5G reference signal designs (LTE CRS³ & NR DMRS⁴), enhanced HARQ⁵ design



Downlink MIMO

New CSF⁶ design (e.g., empowered by AI/ML) to achieve accurate beamforming in 6G FDD



Uplink waveform

Advanced DFT-S⁷ with MIMO to yield gain over 5G NR single-layer DFT-S uplink



Uplink antenna / Tx power management


Advanced antenna/power management accounting for UL/DL imbalance, and MPE⁸



Targeting >50% gain from the above features without cell RF equipment upgrade



6G will continue to enhance midband spectrum performance and efficiency



Further improving sub-7 GHz TDD wide-area system design

Spectral efficiency and capacity improvement

Through e.g., modulation, coding, MIMO mapping, interleaving, new data & control channel, reference signaling, beamforming, coherent UL MIMO

Coverage extension

Through e.g., native control & data bundling, lean broadcast signaling, low PAPR waveform, enhanced cell-edge beamforming, advanced duplexing, flexible CA

Energy efficient design

Through e.g., lean initial access, new designs of always-on signaling, enhanced bandwidth, antenna adaptation framework, low-power WUS, wideband operation

Complexity optimization

Through e.g., area-efficient modulation, coding, memory-efficient MIMO mapping, wideband TDD-native design, MIMO CA adaptation for TDD, integrated HARQ/ARQ process for high memory efficiency

New Uplink Design

Native control and data bundling

Low overhead, DMRS bundling for Eb/N0 improvement


More versatile waveform and uplink MIMO

Advanced duplexing (e.g., SBFD) and flexible multi-carrier design

New Downlink Design

Expanded cell-edge reciprocity-based beamforming

Systematic design enhancements to improve downlink broadcast channels





Uplink coverage extension

Downlink coverage extension

6G will deliver enhanced coverage across all bands right from the start

Substantial coverage gains with new 6G design based on link and system-level evaluations

Enabling upper-midband (7-15 GHz) to meet wide-area capacity demand




Delivering new capacity for wide-area broadband (e.g., smartphones, smart cities, automotive, verticals)



Fueling scalable boundless XR user support in wide area through wider bandwidth availability




Supporting high-resolution wireless sensing for new use cases (e.g., environmental monitoring, activity detection)




6G Giga-MIMO can open up ~500 MHz wide-area bandwidth with comparable coverage as 5G massive MIMO in sub-7 GHz

New upper mid-band spectrum will increase system capacity

Supporting more users per area and increased throughput





Supports **5x** the network load while maintaining at least 100 Mbps for the bottom 10% users

Provides **3x** faster average user data speeds¹

28

1 Without baseband gain

Qualcom



Giga-MIMO


Meeting the capacity demands of the decade to come


End-to-end system design operating in the 13 GHz band with 500 MHz+ bandwidth

Comparable size as 5G massive MIMO with 4096 antenna elements and 256 digital chains

Hybrid beamforming and subband full duplex capable

Over-the-air testing at our advanced antenna range in San Diego, CA






Giga-MIMO improves coexistence with other systems

Compared to previous generations, we expect 6G design to account for sharing with non 3GPP systems, i.e., implementing a "sharing by design" approach

Giga-MIMO allows tight control of very narrow beams in upper midbands that in the presence of incumbent systems can lead to new and more efficient coexistence approaches


Specific sharing mechanisms will depend on the target bands and incumbent systems





Flexible new 6G air interface design with native support for spectrum sharing


Evolving towards a full duplex wireless system


Better coverage, lower latency, and flexible spectrum sharing













Coverage

Innovations to overcome significant path loss in mmWave bands



Beam management

Innovations to beam pairing, tracking and recovery



Device size / power

Innovations to optimize mmWave design for smartphone form factor



Robustness

Innovations to overcome blockage from hand, body, walls, foliage, etc.



Topology enhancement

Innovations to efficiently scale and densify the network







Continue to enhance and expand the role of mmWave — Building on 5G and 5G Advanced

6G targets to further improve coverage, robustness and power efficiency via enhanced beamforming, beam-tracking, and topology

Complementing communications and beyond with sub-Terahertz

Building on our mmWave experience to address key system challenges at higher band spectrum



WIRELESS DATA CENTER



WIRELESS FRONTHAUL



WIRELESS FIBER TO THE HOME



ULTRA-PRECISE POSITIONING



RADIO FREQUENCY SENSING

Use case feasibility

Evaluating diverse use cases, form factor requirements and how sub-THz can deliver effective solutions

System design

Building early prototypes to overcome implementation challenges (i.e., device formfactor, power consumption, etc.)

Propagation loss

Using intelligent beamforming to overcome path loss, penetration loss, foliage loss, and others


Reduce TCO and accelerate rollouts with advanced RAN sharing

Share some or all RAN components to reduce CAPEX and OPEX

Differentiate network services and user experiences with separate core networks

Continue with operator-specific spectrum or combine spectrum resources for joint scheduling over a common wide carrier (~ 500 MHz BW)

Reduce antenna tower loading and tower lease costs with fewer antennas by using the common carrier configuration



Other TCO reduction technologies:



Al-based network automation for continuous operational optimization



Non-terrestrial networks for energy- and cost-efficient rural coverage



Green networks with energy-saving operational modes for lower OPEX

Examples of commercial RAN sharing:

4G/5G regional RAN sharing in Europe, Japan and Latin America 5G national RAN sharing in China

Qualcomm



Our wireless research is leading the transformation of future wireless systems



Key longer-term research vectors

Enabling the path towards 6G





Al-native E2E communications

Data-driven communication and network design, with joint training, model sharing and distributed inference across networks and devices



Expanding into new spectrum bands

Expanding to THz, wide-area expansion to higher bands, new spectrum sharing paradigm, dynamic coordination with environmental awareness



Merging of worlds

Physical, digital, virtual, immersive interactions taking human augmentation to next level via ubiquitous, low-power joint communication and sensing



Scalable network architecture

Disaggregation and virtualization at the connected intelligent edge, use of advanced topologies to address growing demand



Air interface innovations

Evolution of duplexing schemes, Giga-MIMO, mmWave evolution, reconfigurable intelligent surfaces, non-terrestrial communications, waveform/coding for MHz to THz, system energy efficiency



Communications resiliency

Multifaceted trust and configurable security, post quantum security, robust networks tolerant to failures and attacks



Qualcown Driving Technology Innovation on the Path to 6G





Foundational Wireless Innovations

5G Advanced

Advanced mmWave Deployment



Multi-user MIMO, enhanced mobility, WAB, IS, RIS, simple repeater, NCR

Wireless Al Interoperability



Cross-node channel feedback
Nokia collab.

Al-enabled Beam Management



Device-side spatial-domain beam prediction

Giga-MIMO System Enabling Upper Midband



World's First Giga-MIMO antenna prototype operating at 13 GHz

Digital Twin Network

6G



Precise network coverage validation, mobility, capacity planning

On the Path to Sub-THz



Single-to-multi-point, data center comm., multi-object sensing

5G Beyond Mobile Broadband

Advanced Automotive Connectivity



Large-scale VRU alerts OTA Coverage prediction

Boundless eXtended Reality (XR)



Boundless AR over 5G/Wi-Fi Hololight collab.

Wide-area IoT RedCap Evolution



Capacity simulation Low-power wakeup signal

5G from Space (5G NTN)



TN-NTN, NTN-NTN mobility Ericsson, Keysight collab.

5G Broadcast Readiness



Commercial readiness Rohde & Schwarz collab.

6G Spectrum Innovations



Wireless data consumption growth continues to fuel the need for more spectrum



Wireless ecosystem is starting to prepare for 6G spectrum needs today



Spectrum innovations will form the foundation of 6G advancements, bringing enhancements across all bands



Our wireless research is enabling enhanced spectrum efficiencies and new bands for future systems

Thank you

Nothing in these materials is an offer to sell any of the components or devices referenced herein.

© Qualcomm Technologies, Inc. and/or its affiliated companies. All Rights Reserved.

Qualcomm and Snapdragon are trademarks or registered trademarks of Qualcomm Incorporated.

Other products and brand names may be trademarks or registered trademarks of their respective owners.

References in this presentation to "Qualcomm" may mean Qualcomm Incorporated, $\bar{}$

Qualcomm Technologies, Inc., and/or other subsidiaries or business units within the Qualcomm corporate structure, as applicable. Qualcomm Incorporated includes our licensing business, QTL, and the vast majority of our patent portfolio. Qualcomm Technologies, Inc., a subsidiary of Qualcomm Incorporated, operates, along with its subsidiaries, substantially all of our engineering, research and development functions, and

substantially all of our products and services businesses, including our QCT semiconductor business.

Snapdragon and Qualcomm branded products are products of Qualcomm Technologies. Inc. and/or its subsidiarie

Snapdragon and Qualcomm branded products are products of Qualcomm Technologies, Inc. and/or its subsidiaries. Qualcomm patented technologies are licensed by Qualcomm Incorporated.







APPENDIX


5G Global spectrum alignment and harmonization

Crucial to facilitate the future of wireless connectivity



5G operates in all spectrum types / bands

Spectrum is the lifeblood of wireless communications





Shared spectrum

Existing and new paradigms

e.g., 3.8-4.2 GHz UK, 3.5 GHz & 37-37.6 GHz USA



Unlicensed spectrum

Shared use

e.g., 5 GHz / 6 GHz / 60 GHz global

HIGH BANDS ABOVE 24 GHz (mmWAVE)

MID BANDS 1 GHz — 7 GHz

LOW BANDS BELOW 1 GHz

Today's spectrum allocation is enabling increased data consumption and growth in the 5G era

5G (& Wi-Fi) Bands

Licensed

— Unlicensed / shared

Under study/proposed rules/waiting for auction

	<1GHz 30	SHz 40	GHz 5GHz 6GHz	24-30GHz	37-50GHz	60 GHz	>95GHz
	600MHz 900MHz 2.5/2.6GHz (2x35MHz) (2x3MHz) (B41/n41)	3.1-3.45GHz 3.45-3.55GHz 3.7- 3.55-3.7GHz 3.98GHz	4.94- 4.99GHz 5.9–7.1GHz	24.25-24.45GHz 24.75-25.25GHz 27.5-28.35GHz	37-37.6GHz 37.6-40GHz 42-42.5GHz 47.2-48.2GHz	57-71GHz	>95GHz
(*)	600MHz (2x35MHz)	3.45- 3.65- 3.65 GHz 3.9GHz	5.9–7.1GHz	26. <u>5-28.35</u> GHz	37-37.6GHz 37.6-40GHz	57-71GHz	>95GHz
	700MHz (2x30 MHz)	3.4–3.8GHz	5.9–6.4GHz	24.5-27.5GHz		57-66GHz	
	700MHz (2x <u>30 MH</u> z)	3.4–3.8GHz	5. <u>9–6.4GH</u> z	24.25-27.5 GHz	40.5-43.5 GHz	57-66GHz	
	700MHz (2x <u>30 MH</u> z)	3.4–3.8GHz	5.9 <u>–6.4GH</u> z	24 <u>.25-27.5</u> GHz		57-66GHz	
	700MHz (2x30 MHz)	3.46–3.8GHz	5. <u>9–6.4GH</u> z	24.25-27.5 GHz		57-66GHz	
	700MHz (2x30 MHz)	3.6–3.8GHz	5.9–6.4GHz	24.25-27.5 GHz		57-66GHz	
	700/ 2GHz 2.5/2.6GHz 800MHz 900MHz (n1) (B41/n41)	3.3–3.6GHz ———	4.8–5GHz	24.75-27.5GHz ———	37-43.5GHz ————		<u></u>
	700/800MHz 2.3-2 <u>.3</u> 9GHz	3.4– 3.7- 3.7GHz <u>4</u> .0GHz	4.72– 4.82GHz 5.9–7.1GHz	25.7- 26.5- 28.9- 26.5GHz 28.9GHz 29.5GHz	37GHz	57-64GHz	
•	700/800MHz 2.3 GHz	3.6–4.1GHz	4.5–4.9GHz 5.9–6.4GHz	27-29.5GHz ——		57-66GHz ———	•
	600MHz (2x40 MHz) 700MHz (2x30 MHz)	3. <u>3</u> –3.67GHz		24.25-27.5GHz			
	2.3 GHz	3.7- 3.4–3.7GHz 4.0GHz	5.9–6.4GHz	24.25-29.5GHz	39GHz	57-66GHz	

Source: GSA

5G Global Spectrum Status





- Multiple bands in commercial deployment from all major mobile operators, e.g., 600 MHz, 2.5/2.6 GHz, 3.5 GHz, 28 GHz, as well as other existing bands using DSS
- 4.9 GHz band targeted for public safety use with non-commercial secondary use
- 5.9 GHz band for automotive safety – waiver granted by FCC to permit initial C-V2X deployments
- 6 GHz band (5.9-7.1 GHz) for unlicensed operations (e.g., Wi-Fi and 5G NR-U)
- 5030 MHz band (5030-5091 MHz) for UAS operations
- Lower 37 GHz band advanced spectrum sharing possibilities



- Multiple bands in commercial deployment from major mobile operators, such as 600 MHz, 3.5 GHz, and other mobile bands using DSS
- Looking to open 3.9 GHz band and 26, 28, and 38 GHz bands for exclusive use and for non competitive local (NCL) licensing
- Above 95 GHz bands opened by ISED for unlicensed operations

5G Global Spectrum Status



South America



 5G auction held on October 2024. Claro (100 MHz), Telecom (100 MHz) and Movistar (50 MHz) obtained spectrum in the 3.3-3.6 GHz band



- Assigned 3.3-3.7 GHz and 26 GHz. Reserved 3.7-3.8 GHz for local networks
- Considering and consulting on 4.8-5.0 GHz band



 ATT announced spectrum assignment by Q1 2025. It will likely include 100 MHz in the 3.5 GHz band



- 5G auction held in Q3 2023.
 Four 80MHz blocks assigned in the 3.3-3.7 GHz band
- Remaining spectrum will be auctioned on a regional basis



 5G auction for the 3.5 and 26 GHz bands scheduled for January 2025



- Assigned 3.3-3.4 GHz, 3.6-3.65 GHz, and 26 GHz for 5G in Q1 2021
- Second 5G tender to assign 50 MHz in 3.4-3.6 GHz concluded in June 2024
- 3.75-3.8 GHz range reserved for local networks



- Assigned 3.4-3.45 and 3.45-3.55 GHz for 5G
- Evaluating 3.3-3.4 GHz and 26 GHz. Working to recover the 3.3-3.35 GHz band



 MTC is working to refarm and assign the 3.3-3.7 GHz band during Q1 2025



- Draft of 5G auction rules published in Dec 2024
- Auction for 3.3-3.7 GHz, expected for Q1 2025



- Assigned 27.5-28.25 GHz for 5G (via temporary assignments)
- Auction finalized in Q2 2023.
 Claro, Movistar and Anel obtained 100 MHz block each in the 3.3-3.6 GHz band



5G Global Spectrum Status



- Assigned 3.4-3.8, 3.8-4.2 for private networks
- 26 GHz, 40 GHz auction expected in 1H 2025



- Assigned 3.4-3.8 GHz
- Assigned 26 GHz



- Assigned 3.4-3.8 GHz
- Test licenses for 26 GHz band



- Assigned 3.4-3.8 GHz
- Assigned 26 GHz including dedicated spectrum for private networks (24.25-24.7 GHz)



- Assigned 3.4-3.8 GHz including dedicated spectrum for private networks (37.20-38 GHz)
- Local licensing in 24.25-25.1 GHz



- Assigned 3.4-3.7 GHz, 3.7-3.8 GHz for private networks
- 26 GHz licenses issued on demand on a local basis



- Assigned 3.4-3.8 GHz
- Assigned 26 GHz including dedicated spectrum for private networks (24.25-25.1 GHz)



- Assigned 3.4-3.8 GHz
- Assigned 26 GHz



- Assigned 3.4-3.8 GHz
- Assigned 26 GHz band



- Assigned 3.4-3.8 GHz
- Assigned 26 GHz band



• Assigned 3.4-3.8 GHz



- Assigned 3.4-3.8 GHz
- Assigned 26 GHz



• Assigned 3.5-3.8 GHz, local license 3.4-3.5GHz



- Assigned 3.4-3.8 GHz
- Assigned 26 GHz, 24.25-24.65 for private networks



5G Global Spectrum Status

China •

East Asia

TAIWAN

 Assigned 700MHz, 3.4-3.6 GHz, 4.8-5.0 GHz for 5G



- Allocated 3.3-3.4 GHz for shared indoor use
- Refarming 800/900 MHz 2G/4G band for 5G
- Identify IMT service in 6.425-7.125 GHZ, 24.75-27.5 GHz and 37-43.5GHz (portion thereof)




HONG KONG

- Assigned 3.3-3.6 and 4.84-4.92 GHz
- Allocated 400 MHz per operator in 26/28 GHz, with 400 MHz reserved for local licensing
- 2.5-2.6 GHz planned for 5G re-allocation



- Assigned 3.3-3.57 GHz for 5G
- Assigned 27.9–29.2 GHz, and 29.3–29.5 GHz
- 4.8-4.9 GHz allocated for local private network licenses





- 28.2-29.1 GHz for local licensing
- 4.9-5.0 GHz to be allocated

• Allocated 4.6-4.9 GHz and

• 25.25-27 GHz, and 37-43.5 GHz will be studied



SOUTH

KOREA

- Allocated 3.4-3.7 GHz and 26.5-28.9 GHz
- Considering 3.7- 4.0 GHz band
- MSIT plans to allocate additional 5G spectrum



- Assigned 3.4-3.7 GHz
- 3.7-4.2 GHz, 4.4-4.5 GHz, 4.8-5.0 GHz under on-going consultation
- 26 GHz mmWave band for local licensing and wide-area allocation



ZEALAND

- Assigned 3.4-3.59 GHz and 3.59-3.8 GHz
- 26/28 GHz mmWave under consideration

Oceania (

Source: GSA

5G Global Spectrum Status



Southeast Asia




- Assigned spectrum across all bands for 5G, including 700 MHz, 3.4-3.67 MHz and 26 GHz to 4 operators
- 800, 900 MHz, 1.8, 2.1, 2.3, and
 2.5 GHz bands currently used for 4G, but expected to become 5G bands



- Assigned mid-band 3.45-3.65 GHz to two operators with 100 MHz each
- Assigned mmWave in 26.25-29.5 GHz singapore for 4 operators with 800 MHz each



Assigned 700 MHz, 3.5 GHz and 28 GHz bands to a wholesale operator





- Assigned 26 GHz spectrum to 4 operators
- Considering 3.3-3.7 GHz
- Considering 4.5-4.9 GHz foo private networks



- Assigned 2.3 GHz TDD band for 5G
- Conducted 5G SA trials in 700 MHz and 26 GHz
- Plan to release 700 MHz, 2,6 GHz, 3.4-3.6 GHz and 26 GHz for 5G



- Assigned 3.3-3.5 GHz in mid-band
- Considering 26 GHz band



- Assigned 2.5 GHz and 3.7-3.9 GHz bands
- Planning to auction 700 MHz and 900 MHz

Global snapshot of spectrum optimized for industrial IoT / vertical / private network use

Local licensing or sharing



3.5 GHz CBRS, shared licenses 37 - 37.6 GHz shared spectrum/local licenses, under study



 $3.7 - 3.8 \, \text{GHz}$

24.25 - 27.5 GHz, local licenses



3.8 - 4.2 GHz

1781.7-1785/1876.7-1880 MHz

2390 - 2400 MHz

24.25 - 26.5 GHz, local licenses



1780-1785/1875-1880 MHz

3720 - 3800 MHz

24.5 - 25.1 GHz



2300 - 2320 MHz

Sub-licensing of 3.4 – 3.8 GHz

24.5 - 25.1 GHz



Sub-licensing of 3.4-3.8 GHz

3.8-4.2 GHz local licenses

24.5 – 25.1 GHz under allocation



3410 - 3450 MHz for local industrial use

3750 – 3800 MHz available with restrictions 2.3 - 2.4 GHz (licensed shared access online booking system)

Local private service to migrate to 3400-3450 MHz or 3750-3800 MHz by 2026



2575 - 2615 MHz

26.5 - 27.5 GHz (test licenses)



3.4 - 3.6 GHz, 2*20 MHz, Allocated in 2020 with a leasing option



3.4 – 4.2 GHz local licenses



703 – 708 / 758 – 763 MHz (Infrastructure segment)

1487 - 1517 MHz, 2390-2400 MHz, 2485 – 2495 MHz

 $3.7 - 3.8 \, \text{GHz}$

27.5 - 27.9 GHz



2300 - 2325 MHz (already has requests from ports and mining sectors)

 $3.75 - 3.8 \, \text{GHz}$



Licenses in 2575 – 2620 MHz may be assigned for localized use



1755-1785 MHz in remote areas 1920-1980 MHz in remote areas 3.7 – 4.0 GHz for local area licensing 24.25 - 27.5 GHz and 27.5 - 29.5 GHz for local licensing



Issued the first local 5G trial license in 5925-6125 MHz and 24.75-25.15 GHz to COMAC



Each operator has acquired 800 MHz of 26/28 GHz spectrum to deploy local networks



24.25 - 28.35 GHz (400 MHz) available for local licenses



2,575 - 2,595 MHz and 1,888.5 -1,916.6 MHz (NSA anchor)

4.6 - 4.9 GHz (4.6 - 4.8 GHz indoor only, 4.8 - 4.9 GHz outdoor possible) & 28.2 - 29.1 GHz (Outdoor use: total 250 MHz 28.2 - 28.45 MHz)

Uplink heavy TDD config. using semi-sync allowed in sub-6 & 28 GHz



4.72 - 4.82 GHz and

28.9 - 29.5 GHz for 5G specialized local applications



4.8 – 4.9 GHz for 5G local private and enterprise licenses

Source: GSA. MFA 48