

# Device Use Phase Analysis

Climate Action with Energy Efficient IT

Snapdragon® 8cx Gen 3 Compute Platform

Px<sup>3</sup>®



Px<sup>3</sup> Ltd

Innovation Centre

University of Warwick Science Park

Warwick Technology Park

Gallows Hill

Warwick

CV34 6UW

United Kingdom

[analysis@px3.org.uk](mailto:analysis@px3.org.uk)

## Abstract

End user computing generates over 1% of global greenhouse gas annual emissions caused by the production of over 460m new devices annually and the use-phase activity of 4.2bn users.

In context, this is equivalent to emissions generated by 1.4bn fossil fuel car miles and requires a 2.8m km<sup>2</sup> forest the size of Argentina to sequester the carbon from our atmosphere.


Approximately one-third of the total carbon footprint of personal computers is generated during the use-phase due to electricity consumption. Consequently, legislation, policies and third-party certifications exist to ensure devices are produced and consumed responsibly in line with the United Nations Sustainable Development Goals. The rationale being that organisations are able to select energy efficient devices using available typical energy consumption data and therefore reduce concomitant scope 2 (electricity) greenhouse gas emissions in the workplace. However, empirical research identifies that current end user computing energy consumption methodology does not accurately reflect device electricity use when subjected to human-interaction. This is because the typical energy consumption benchmark data used to determine efficiency focuses on measuring only the low power modes such as off, sleep and idle. The results exclude the active state when power draw is at its highest causing inaccuracies between -60% to +121% and creating a disparity maxim of 181%. The reason for this is that varying operating systems and components require different levels of power draw during active use. The difference is so great, that despite comparable low power mode results, devices using alternative operating systems can exhibit energy consumption reductions of 46% on average.

Consequently, organisations believing they are purchasing computers that will consume the least electricity and produce the fewest emissions can often be unintentionally misled. To overcome such issues, Px<sup>3</sup>® conducts Device Use Phase Analysis (DUPA™) testing to generate energy consumption data that includes the active state. The resulting commercial typical energy consumption (cTEC™) value measured in kilowatt hours (kWh) per year enables organisations to accurately compare prospective devices by real-life energy based sustainability criterion, predict ongoing lifespan utility costs and quantify annual scope 2 emissions.

In this research<sup>1</sup> three similar Lenovo ThinkPad X13 notebooks are examined to determine if electricity consumption, concomitant scope emissions and resulting utility cost differs between models which are powered by different processors. The results substantiate that the notebook powered by Snapdragon 8cx Gen 3 consumes 45% less electricity than the notebook powered by Intel Core i5-1240P and 24% less than the notebook powered by AMD Ryzen 5 PRO 6650U. This was achieved by Snapdragon reducing average active state power draw up to 66%. Consequently, scope 2 emissions and utility costs are reduced by a similar percentage therefore substantiating that notebooks installed with Snapdragon generate gains for both planet and profit.

---

<sup>1</sup> Qualcomm Technologies, Inc. commissioned independent research and consulting organisation Px3 to scientifically test the hypothesis. All experiments are undertaken using peer reviewed scientific test set-up and conduct methodologies. Results are delivered pragmatically and without bias to ensure the findings withstand scientific and academic scrutiny.



<b>Abstract</b>	<b>1</b>
<b>Introduction</b>	<b>3</b>
IT Sustainability Drivers	4
Valid Sustainability Data	4
Device Use-Phase Analysis (DUPA)	5
Hardware Components	6
<b>Methodology</b>	<b>7</b>
<b>Results</b>	<b>8</b>
Computer Energy Data	8
Lenovo ThinkPad X13 powered by Intel Core i5	8
Lenovo ThinkPad X13 powered by AMD Ryzen 5	9
Lenovo ThinkPad X13s powered by Snapdragon 8cx	11
Energy Efficiency Comparison	11
Planet: GHG Emissions	14
Positive Impact at Scale	15
Workplace Impact Example	16
Responsible Consumption and Climate Action	17
Utility Cost Reduction	18
<b>Summary</b>	<b>19</b>
<b>Conclusions</b>	<b>20</b>
<b>References</b>	<b>21</b>
<b>About Px3</b>	<b>23</b>
<b>About the Author</b>	<b>24</b>

## Introduction

Since the Industrial Revolution, anthropogenic interference has caused 1.0°C of global warming <sup>[1]</sup>. A further increase to 1.5°C will be reached by 2033 if greenhouse gas (GHG) emissions continue to rise at the current annual growth rate <sup>[1]</sup>. However, scientists calculate that by reaching and sustaining net zero global anthropogenic CO<sub>2</sub> emissions by mid-century, global warming may halt on a multi-decadal scale and temperature gains will begin to peak <sup>[1]</sup>.

To achieve this goal, it is suggested that the world cannot rely solely on emerging key GHG abatement strategies, such as vehicle electrification and renewable energy transition. This is because evidence indicates current adoption rates and subsequent GHG abatement will not be sufficient to bridge the anticipated annual emissions gap forecast for 2030 <sup>[2]</sup>.

To compensate, the United Nations Environmental Programme (UNEP) suggests that existing technology should be examined as an enabler of societal emissions reduction <sup>[2]</sup>.

Generating in excess of 2.5% of all global greenhouse gases, it is reasonable to suggest that information technology (IT) represents a viable source of abatement if sustainability enabling strategies are applied without delay <sup>[3]</sup>.

As an example, significant supply chain (scope 3) GHG emissions reductions can be achieved by selecting hardware with the lowest manufacturing carbon footprint <sup>[3, 4]</sup> and then retaining equipment for longer periods <sup>[3, 5, 6, 7, 8]</sup> to displace procurement refresh cycles. Electricity consumption (scope 2) emissions can also be reduced by adopting low energy products <sup>[3, 5, 8, 9, 10]</sup> and low carbon computing services <sup>[3, 7, 11, 12]</sup>. Additionally, associated behavioural changes such as remote working enabled by IT solutions can reduce scope 3 commuting emissions <sup>[3, 6, 7, 9, 13]</sup>.

Consequently, end user computing (EUC) as a subset of IT, is a prime candidate to contribute to this sustainability strategy. Setting aside data centre and networking emissions, personal computing generates over 1% of global GHG annual emissions <sup>[14]</sup>. This is caused by the yearly manufacturing of 460 million devices and the associated energy consumed by 4.2bn active users <sup>[3, 4]</sup>.

Based upon current world emissions, this annual carbon footprint is 556,000,000 tCO<sub>2</sub>e. This is equivalent to 1.4bn fossil fuel car miles and requires a 2.8m km<sup>2</sup> forest the size of Argentina to sequester the pollution <sup>[3]</sup>.

## IT Sustainability Drivers

The concept of sustainable EUC procurement and use contributing to GHG abatement is already internationally recognised <sup>[3, 4]</sup>.

Linked with the United Nations Sustainable Development Goal (UN SDG) number 12, 'responsible consumption and production' <sup>[15]</sup>, legislation <sup>[4]</sup>, standards <sup>[4]</sup>, certifications <sup>[4]</sup>, protocols and policies <sup>[4]</sup> exist to ensure environmental impact is reduced and monitored at each stage of the device lifespan.

As an example, EUC manufacturers are subject to eco-product design directives <sup>[4]</sup> and certification <sup>[4]</sup> to ensure raw materials are sourced responsibly, products are manufactured in safe environments, to strict standards and include energy efficiency as a key criterion. Before products are ready for sale, standards and protocols act as a framework for life cycle assessment (LCA) activities <sup>[4]</sup> that result in customer facing carbon footprint reports detailing GHG emissions associated with production, transportation, the use-phase and end of life processes.


Considering that ICT now accounts for over 10% of all commercial electricity consumption <sup>[16]</sup> and 14% of all waste electrical and electronic equipment (WEEE) recycling <sup>[3]</sup>, selecting computers using sustainability criteria is becoming more prevalent. This is encouraged by both a growing realisation and substantiation that sustainable IT can drive climate action plus national and regional legislation and strategies that require commercial and public sector organisations to include sustainability as a criterion when procuring ICT products and services <sup>[3, 4, 16]</sup>.

## Valid Sustainability Data

To determine which EUC devices have the lowest carbon footprint, organisations rely on two key data sources <sup>[3, 4, 10, 16-18]</sup>. The first is typical energy consumption (TEC) data published by organisations such as Energy Star and as part of the Eco Declaration process. Using this data organisations can select devices that they believe will consume the least amount of electricity during the computer's useful lifespan. The TEC data is also used to calculate concomitant scope 2 (electricity) use-phase GHG emissions within the second data source of product carbon footprint reports generated by EUC manufacturers such as Acer, Apple, ASUS, Dell, HP, Lenovo and Microsoft.

**However, research determines that such data sources, whilst accurate within the parameters of their function, lack contextual validity <sup>[3, 4, 10]</sup>.**

As an example, the TEC data only measures low power modes including off, sleep and idle. Consequently, the active-state power draw measurement, when the device will experience human interaction, is not included within the projected electricity consumption value.



Arguably, if all computers are judged by energy efficiency when measured in low power modes, then it is logical that the resulting TEC data is created with parity and therefore devices can be compared and selected with confidence.

However, research also determines that unlike operations in low power modes, different operating systems and components require more or less power during the active-state<sup>[3, 10]</sup>. As such, computers that appear almost equivalent based upon the existing low power mode TEC data often produce very different electricity consumption outcomes when used in the workplace<sup>[10]</sup>.

Specifically, research determines that by excluding the active state data, the typical energy consumption benchmark data is proven to become inaccurate in the context of real world electricity consumption by between -60% to +121% causing a disparity maxim of 181%<sup>[10]</sup>.

As the TEC data is used to generate scope 2 use-phase GHG emissions data for product carbon footprint reports, the lack of contextual validity is passed onto this second source of data.

Within carbon footprint reports, parity between manufacturers is further eroded as each utilises varying approaches to use-phase emissions calculation<sup>[4]</sup>. Some manufacturers will include just one year of electricity consumption within a carbon footprint report, whilst others will include as much as 6-years causing use-phase emissions contribution to become incomparable. Additionally, where one brand may use high carbon intensity electricity to GHG conversion factors, such as those published in the USA, to convert TEC values to scope 2 GHG emissions, other brands may use low carbon intensity factors, such as those published in Europe to reduce the apparent use-phase scope 2 impact.

Consequently, the substantiated success experienced by including sustainability as a criterion when procuring ICT products and services is effectively compromised<sup>[4]</sup>. This is because organisations inadvertently procure products that appear to have a lower carbon footprint but in reality are often increasing GHG emissions due to a lack of contextual sustainability data.

## Device Use-Phase Analysis (DUPA)

The Px<sup>3</sup> device use-phase analysis (DUPA<sup>TM</sup>) energy measurement practice and associated commercial typical electricity consumption (cTEC<sup>TM</sup>) methodology overcomes such issues.

Created during PhD research with the University of Warwick Computer Science faculty<sup>[3]</sup>, the results include both low power mode and operational active state power draw data.

The test conduct is constructed to ensure that all energy use-phase modes and states experienced during a computer's useful lifespan are measured. This includes the



computer's active-state power draw and electricity consumption during human-computer interaction.

Specifically, the test setup adheres to international standards IEC 62301 and 62623, capturing power draw (watts) and energy consumption values (kilo-watt hours) for EUC devices during use. Two data sets are produced for each device during the comprehensive analysis, proven to be accurate within +/- 0.1%. The first data set being power draw (W) when conducting common user interactions such as productivity tasks (e.g. email and application access), content streaming and video conferencing. The second set includes electricity consumption (kWh) values generated by human-interaction for set time periods to accurately record energy use in a business environment.

The findings enable organisations to identify end user computing devices that are scientifically proven to reduce electricity consumption during the device's useful lifespan and therefore abate scope 2 electricity based GHG emissions.

## Hardware Components

Research determines that electricity consumption is directly influenced by two key factors<sup>[3,8,10]</sup>. These are the choice of operating system and component specification such as central processing units (CPU), memory and storage. The body of research identifies that component selection influences energy efficiency by an average of 23%<sup>[3,8]</sup>.

The variation of efficiency achieved depends upon the inclusion of components such as reduced thermal design power CPUs, embedded multi-media card storage and low power double data rate memory.

In all cases, variations of each component exist and therefore the impact of each variation upon power draw and electricity consumption will differ.

Prior research exists highlighting that notebooks powered by Snapdragon deliver extreme energy efficiency when compared to average notebook electricity consumption values<sup>[19]</sup>. While the prevailing research measures the device in isolation, the purpose of this research is to expand upon the findings and to determine the impact of a device powered by Snapdragon compared to nearly identical devices powered by an alternative Intel and AMD processor. By doing so, it is therefore reasonable to conclude that any changes to power draw and electricity consumption are influenced by the processor present in whichever device delivers the lowest energy values.

The results can then be converted to scope 2 GHG emissions to calculate the impact of feasible climate action generated by selecting highly energy efficient devices enabled by component choice.

## Methodology

The objective of the research is to determine if electricity consumption is reduced when a notebook computer specification includes a Snapdragon compute chipset. Should this be proven, then use-phase scope 2 GHG emissions abatement values can be calculated to demonstrate how selecting computers powered by Snapdragon can support responsible consumption and climate action via sustainable IT.

To achieve this, valid energy use data must be generated for such a device, plus a minimum of two similar devices with alternative processors to enable comparison.

As such, three notebooks are subjected to power draw and electricity consumption measurement testing using the Px<sup>3</sup> DUPA practice <sup>[3, 20]</sup>.

The results are then applied to the Px<sup>3</sup> cTEC methodology <sup>[3, 20]</sup> to generate a commercial typical energy consumption (cTEC) value for 1-year (kWh/y) for each device.

The equipment under test are three Lenovo ThinkPad X13 notebooks. All are specified with a 13.3" widescreen ultra extended graphics array (WUXGA) screen with a 1920x1200 resolution, 16GB low power double data rate (LPDDR) memory, 256GB solid state drive (SSD) storage and Windows 11 operating systems (table 1).

Table 1. Notebook specification

Model	Screen Size	Resolution	Memory	Drive	Operating system	Processor
Lenovo ThinkPad X13	13.3"	1920 x 1200	16 GB LPDDR5	256 GB SSD M.2 2242 PCIe	Windows 11	Intel Core i5-1240P
Lenovo ThinkPad X13	13.3"	1920 x 1200	16 GB LPDDR5	256 GB SSD M.2 2242 PCIe	Windows 11	AMD Ryzen 5 PRO 6650U
Lenovo ThinkPad X13s	13.3"	1920 x 1200	16 GB LPDDR4X	256 GB SSD M.2 2242 PCIe	Windows 11	Snapdragon 8cx Gen 3

The research objective is to compare the influence of processor choice upon electricity consumption and therefore concomitant scope 2 emissions. As such, the key difference between each device is the processor. The first notebook includes an Intel Core i5-1240P; the second an AMD Ryzen 5 PRO 6650U and the third, a Snapdragon 8cx Gen 3.

Further to capturing the energy data the results are compared to determine differences or similarities between each device.



Once complete, the next stage calculates concomitant scope 2 GHG emissions created by electricity consumption. This is achieved by converting the kWh/y cTEC results to kilogram carbon dioxide equivalent (kgCO<sub>2</sub>e) units using current published and forecasted electricity to GHG emissions factors in line with GHG reporting and accounting protocol <sup>[21]</sup>. Unlike the kWh unit of electricity consumption measurement that is universal regardless of location, scope 2 emissions quantification will differ depending upon which country or region the device is used in. This is because the electricity supply for each country exhibits different carbon intensity caused by the percentage of adoption of low-carbon renewable energy specific to each grid.

As such, the Px<sup>3</sup> Dynamic Carbon Footprint™ application <sup>[4]</sup> is used to generate annual scope 2 GHG emissions values for four regions to enable comparison of environmental impact in these key IT markets. These include Europe, the UK, the USA and a holistic Global representation. Doing so avoids restricting findings to one country and enables relevance to a wider user audience for consideration.

Beyond the standard unit of measurement for electricity use and GHG emissions, a tangible equivalent is also included to enhance comprehension of impact and feasible abatement via analogous representation. In this instance human steps represent energy consumption and car miles are used to represent the equivalent volume of pollution avoided <sup>[3]</sup>.

The results are discussed in relation to single device comparison and expanded in the summary to offer an example of positive climate action when applied to a large organisation of 1,000 users. All tests are conducted under scientific conditions and results are delivered pragmatically and without bias.

## Results

To generate a substantiated and valid baseline, the results section examines the findings of the electricity consumption measurement experiment ahead of determining associated GHG emissions values and feasible abatements delivered by energy efficiency.

### Computer Energy Data

As noted, three Lenovo ThinkPad X13 device variations are tested to generate comparable power draw and electricity consumption results.

#### Lenovo ThinkPad X13 powered by Intel Core i5

The Lenovo ThinkPad X13 powered by the Intel Core i5-1240P processor exhibited an average active state power draw of 21.01W (figure 1). The active state represents a 209%

increase in power draw when compared to the short idle mode measurement of 6.8W; again proving congruent with associated research <sup>[3, 8, 10]</sup>.


Examining specific activities, the average power draw for productivity tasks as described previously is 21.3W.

For video content based tasks, the power draw ranges from 14.5W when streaming, 17.2W when conducting video conferencing with the camera switched off, to 27.9W with the camera switched on.

Applying the findings to the cTEC methodology, the Intel model device will consume 27.09 kWh of electricity per year when used in a business environment (figure 4).

For contextual purposes, daily electricity consumption is equivalent to the energy required to walk 2,008 human steps.

Figure 1. Active state power draw (W) results for Lenovo ThinkPad X13 powered by Intel Core i5



### Lenovo ThinkPad X13 powered by AMD Ryzen 5

The Lenovo ThinkPad X13 powered by the AMD Ryzen 5 PRO 6650U exhibited an average active state power draw of 14.69W (figure 2). The active state represents a 242% increase in power draw when compared to the short idle mode measurement of 4.3W.

The increase from the short idle to active state is anticipated and congruent with associated research <sup>[3, 8, 10]</sup> determining that all devices will experience raised power draw during this mode due to additional processing not experienced during the low power modes such as off, sleep and idle.


Examining specific activities, the average power draw for productivity tasks including messaging, document creation and review, local presentations and accessing software as a service (SaaS) applications is 13.5W.

For video and content based tasks, the power draw ranges from 12W when streaming, 12.8 W when conducting video conferencing with the camera switched off, to 34.8W with the camera switched on.

Applying the findings to the cTEC methodology, the AMD model device will consume 19.46 kWh of electricity per year when used in a business environment (figure 4).

For contextual purposes, daily electricity consumption is equivalent to the energy required to walk 1,443 human steps.

Figure 2. Active state power draw (W) results for Lenovo ThinkPad X13 powered by AMD Ryzen 5



## Lenovo ThinkPad X13s powered by Snapdragon 8cx

The Lenovo ThinkPad X13s powered by the Snapdragon 8cx Gen 3 processor exhibited an average active state power draw of 9.24W (figure 3). The active state represents a 198% increase in power draw when compared to the short idle mode measurement of 3.1W; proving congruent with associated research as before <sup>[3, 8, 10]</sup>.


Examining specific activities, the average power draw for productivity tasks as described previously is 9W.

For video content based tasks, the power draw ranges from 5.5W for activities such as content streaming, 10.4W when conducting video conferencing with the camera switched off, to 15.2W with the camera switched on.

Applying the findings to the cTEC methodology, the Snapdragon model device will consume 14.91 kWh of electricity per year when used in a business environment (figure 4).

For contextual purposes, daily electricity consumption is equivalent to the energy required to walk 1,105 human steps.

Figure 3. Active state power draw (W) results for Lenovo ThinkPad X13s powered by Snapdragon 8cx



## Energy Efficiency Comparison

The results highlight that the active state power draw exhibited when subjected to human-computer interaction differs significantly between all three Lenovo ThinkPad X13


notebooks. The influence of this is best demonstrated by the commercial typical energy consumption (cTEC) results (figure 4).

The least energy efficient device is the Intel variant. In a workplace environment the device will consume an average of 27.09 kWh of electricity for each year of use. This is +39% higher than the AMD model that will consume 19.46 kWh/y and +82% higher than the Snapdragon model.

Evidently of the three devices, the Lenovo ThinkPad X13s powered by Snapdragon is the most energy efficient consuming 45% less electricity annually than the Intel model and 24% less than the AMD model (figure 4).

With the exclusion of the CPU, the components in each device are equivalent. As such it is reasonable to determine that the power draw required by Snapdragon is considerably lower during the active state than the Intel and AMD processors. This is substantiated by the active state power draw averages (figure 5).

Figure 4. Commercial Typical Energy Consumption (kWh/y) results for Lenovo ThinkPad X13 devices




Specifically, the Intel active state average is again the highest at 21.01W. In context, this is +43% when compared to the AMD model at 14.69W and +127% higher than the Snapdragon model (figure 5).

Reflecting the trend of the cTEC results, the Lenovo ThinkPad X13 installed with Snapdragon requires 37% less average power than the AMD variant and 66% less than the Intel variant.

The cTEC and average active state power draw percentage difference are not identical as the active state power draw will not remain constant due to task changes throughout a working day. Additionally, periods of time spent in low power modes such as off, sleep and idle will be experienced during a working day. The test set up and cTEC methodology caters for this, specifically measuring task based power draw and applying identical mode weightings to each annual electricity consumption value to ensure parity of data between all equipment under test.

As highlighted by figure 5, the device with Snapdragon requires less power draw in all active state variations when compared to both the AMD and Intel processor models. While similar percentage reductions to the average power draw results are reflected in the productivity task results of 33% and 58% in favour of the notebook powered by Snapdragon, the most significant efficiency gains are exhibited by the video focused results.

Figure 5. Power draw (W) results for Lenovo ThinkPad X13 devices



Content streaming such as video from social media sites and online training determined the model with Snapdragon required 54% less power draw than the AMD model and 62% less than the Intel model.

For video conferencing, power draw for the AMD model increased from 12.8W by 172% to 34.8W comparing camera off and camera on results. In comparison, the Intel model increased by 62% from 17.2W to 27.9W. Notably, the Intel model consistently produces the highest power draw in the active state with the exception of the video conferencing 'camera on' task measurement. In this instance, while the Intel model requires 34% higher power draw than the AMD model when conducting video conferencing with the camera off, the AMD model proves to require 25% more power than the Intel model when the camera is switched on. As both camera components are identical, the result arguably points to a specific nuance within the processor itself and how it interacts with data capture and processing.

As noted, the Snapdragon variant produces the lowest results for both video conferencing activities. Specifically, when the camera is switched off the device power draw is 10.4 W and -9% when compared to the AMD model and -40% compared to the Intel model. With the camera active, the contrast increases to -57% and -45% respectively with the power draw being 15.2W.

## Planet: GHG Emissions

Logically, greater energy efficiency enables avoidance of scope 2 GHG emissions as less electricity is consumed by each computer during the useful lifespan.

Energy based GHG emissions generated will differ depending upon the location of use<sup>[4]</sup>. This is because national electricity grids exhibit different levels of carbon intensity defined by the percentage adoption of low carbon energy sources such as hydro, solar or wind in favour of fossil fuel sources.

The following results are, as previously noted, based upon average carbon intensities exhibited in Europe, the USA, the UK and globally to ensure relevance for organisations operating either locally or internationally.

### Scope 2 GHG Emissions: Single Device Values

Due to the electricity consumption results, the Lenovo X13 including the Intel processor generates the highest scope 2 GHG use-phase emissions.

For the initial year the use-phase emissions are 12.3 kgCO<sub>2</sub>e in the USA, 10 kgCO<sub>2</sub>e globally, 8.1 kgCO<sub>2</sub>e in Europe and 5.2 kgCO<sub>2</sub>e in the UK (figure 6).


Comparatively, the Lenovo X13 with the AMD processor generates 28% less scope 2 emissions annually creating 8.8 kgCO<sub>2</sub>e, 7.2 kgCO<sub>2</sub>e, 5.8 kgCO<sub>2</sub>e and 3.8 kgCO<sub>2</sub>e of emissions in each region respectively (figure 6).

Based upon achieving the lowest electricity consumption results and therefore the highest energy efficiency, the notebook with a Snapdragon processor generates the least amount of concomitant use-phase GHG emissions.

Specifically, the Lenovo ThinkPad X13s powered by Snapdragon generates 6.8 kgCO<sub>2</sub>e of scope 2 GHG emissions when used in the USA, 5.5 kgCO<sub>2</sub>e globally, 4.5 kgCO<sub>2</sub>e in Europe and 2.9 kgCO<sub>2</sub>e in the UK (figure 6)

Drawing comparison, the Lenovo notebook with a Snapdragon processor proves to be 45% less impactful to the environment than the device with the Intel processor and 24% less impactful than the AMD model notebook.

Figure 6. Annual scope 2 GHG emissions (kgCO<sub>2</sub>e) results for 3 devices by location of use



## Positive Impact at Scale

Research determines that key barriers to the adoption of sustainable IT include a limited perception of the environmental gains delivered through transformation and anticipated costs associated with making the change<sup>[16]</sup>. Further research determines that in reality, climate action is substantial in relation to IT and usually generates a reduction in capital and operational costs<sup>[5, 6, 9]</sup>. Both outcomes are delivered by strategies such as procurement displacement caused by devices lifespan extension and lowered utility consumption.

To contextualise the environmental and cost improvements delivered by energy efficient devices at scale, the following section applies the single device electricity consumption and concomitant scope 2 GHG emissions results to 1,000 users in a standard business environment. The value of doing so allows public and commercial sector




organisations to simply increase or reduce the findings based upon their user numbers or computer install base. Values used for the cost of electricity and scope 2 emissions are based upon average global current and projected utility prices and emissions factors to account for expected change to both influencing factors. As an example, whilst electricity prices will rise, carbon intensity factors will decline as the world adopts more renewable energy capacity. The time horizon for the impact example is 5-years as research indicates this to be a standard retention period for devices [3, 4]. To ensure comprehension of the GHG unit values (kgCO<sub>2</sub>e), a tangible equivalent is used to convert the emissions to common analogous examples such as emissions generated by driving a combustion engine car.

### Workplace Impact Example

In a business environment, the total lifespan electricity consumption for 1,000 Lenovo X13 devices is 135,450 kWh for the Intel variant, 97,300 kWh for the AMD variant and 74,550 kWh for the Snapdragon variant. As previously identified, the device powered by Snapdragon therefore consumes 45% less energy than the Intel model and 24% less than the AMD model (figure 7).

Consequently, the Snapdragon model will consume 60,900 kWh less electricity than the Intel variant during a 5-year use-phase period and 22,750 kWh less than the AMD powered device (figure 7).

Figure 7. Lifespan electricity consumption (kWh) results for 3 devices in a business environment



## Responsible Consumption and Climate Action


The reduction of electricity consumption translates into scope 2 GHG abatement. Unlike the kWh value, the GHG emissions value is not equal for all 5-years. The reason for this is that, as noted, the majority of national grids will slowly transition away from reliance on fossil fuel energy sources, therefore reducing carbon intensity during the time horizon.

As the notebook with a Snapdragon processor is the most energy efficient device, it therefore represents the benchmark for responsible consumption as concomitant emissions are the lowest produced by all three notebooks at 26,744 kgCO<sub>2</sub>e for 1,000 users (figure 8).

When used as a baseline for environmental impact, the AMD model is calculated to produce 31% more scope 2 GHG emissions at 34,905 kgCO<sub>2</sub>e per 1,000 users. Comparatively, the Intel variant creates 82% higher emissions at 48,591 for the 5-years period (figure 8).

In this example, it is feasible to reduce scope 2 GHG emissions by a maximum of 21,847 kgCO<sub>2</sub>e by selecting the Lenovo ThinkPad X13s powered by Snapdragon 8cx Gen 3. In context, this is equivalent to avoiding pollution caused by 79,545 car miles.

Figure 8. Lifespan scope 2 GHG emissions (kgCO<sub>2</sub>e) results for 3 devices in a business environment



## Utility Cost Reduction


Having determined that climate action is achievable by selecting low energy devices enabled by Snapdragon, it is worthwhile examining associated utility savings. Doing so improves awareness that adopting sustainable IT strategies also reduces cost.

As highlighted in figure 9, the annual electricity costs for the 1,000 device environment varies as time progresses for each computer model due to rising electricity costs.

As a consequence of the electricity consumption results, the device powered by Snapdragon logically produces the lowest utility cost value of \$8,962 for the useful lifespan of the devices. Comparatively, the costs incurred by the Intel variant are 82% higher at \$16,283 and 31% higher for the AMD variant at \$11,697 (figure 9).

Consequently, selecting Lenovo X13s notebooks powered by Snapdragon offers a feasible utility cost saving of \$7,321 for 1,000 users based on a global average electricity price during a 5-year period.

Figure 9. Lifespan electricity cost (\$USD) results for 3 Devices in a business environment



## Summary

The results substantiate that energy efficiency is significantly influenced by the processing power of similarly specified notebook computers. The finding is congruent with existing research <sup>[8,10,19]</sup> and enables both utility cost reductions and climate action via responsible consumption.

Specifically, the Lenovo ThinkPad X13 notebook powered by Snapdragon 8cx Gen 3 consumed 24% less electricity annually than the similar device with an AMD<sup>®</sup> Ryzen 5 PRO 6650U and 45% less than the Intel Core i5-1240P model.

The reason for the decrease in consumption is that the Snapdragon processor is demanding less power draw when in the active state. This is highlighted by the average power draw being 9.24W compared to 14.69W for the AMD model and 21.01W for the Intel variant when experiencing the same active workloads driven by human-computer interaction.

Examining published energy benchmark data suggests the power draw disparity range between the device with a Snapdragon processor and the two further devices is 1.2W and 3.7W when in the short idle state. Consequently, as the active state is not considered in existing typical energy consumption benchmarks, the significant percentage increase in electricity consumption due to the use-phase power draw would not be obvious to IT or procurement teams when selecting suitable computers for business or similar environments.

As the research substantiates, the power draw difference is actually between 5.45W and 11.77W when comparing the active state for the notebook powered by Snapdragon with the AMD and Intel models respectively. As such, the average active state power draw increase experienced is in fact +286% when selecting either the AMD<sup>®</sup> or Intel<sup>®</sup> variants. The consequence being that when the active state is included within the calculation, the consumption difference between devices is as much as 7.63 kWh/y.

From a planet perspective, the 1,000 user impact example defines that cumulative energy savings at scale enable meaningful climate action. Specifically, 21,847 kgCO<sub>2</sub>e of scope 2 GHG emissions are avoided during a 5-year use-phase.

From a profit perspective, energy consumption reduction delivered by sustainable IT strategies is proven to be achievable and challenges the misconception that adopting green IT adds to cost <sup>[16]</sup>. In the one thousand device example, utility consumption is reduced by as much as 60,900 kWh.

The energy efficiency causes an electricity spend reduction of \$7,321 by simply selecting the Lenovo ThinkPad X13s powered by Snapdragon.

## Conclusions

As IT procurement and use legislation and policy<sup>[4]</sup> reaches beyond manufacturers and intensifies focus within consumer environments, commercial and public sector organisations must focus upon reducing the impact of high emissions sources such as end user computing<sup>[3]</sup>.


As substantiated by the research, the results highlight that by supporting the UNSDGs of responsible production and consumption, the ultimate goal of Climate Action can be achieved by selecting devices with a Snapdragon processor.

Arguably, by selecting notebook computers that include Snapdragon at scale, it is feasible to make the difference between imminent incremental global warming or enabling a cessation of temperature gain in the short term.

Such concerted climate action driven by responsible consumption will bridge the gap, facilitating long term strategies such as renewable energy diffusion to mature ahead of attaining national net zero aspirations in 2050.

## References

- [1] Intergovernmental Panel on Climate Change (IPCC). (2022), 'Climate Change 2022: ARG WGIII SPM'. Switzerland: IPCC
- [2] United Nations Environment Programme. (2019), 'Emissions Gap Report'. Table ES1 Page 8.
- [3] Sutton-Parker, J. (2022), 'The impact of end user computing carbon footprint information on human behavioural change and greenhouse gas emission abatement.' Warwick, UK: University of Warwick, Computer Science Dept.
- [4] Sutton-Parker, J. (2022), 'Is sufficient carbon footprint information available to make sustainability focused computer procurement strategies meaningful?'. 1877-0509. Procedia Computer Science, Volume 203, 2022, Pages 280-289. Amsterdam, the Netherlands: Science Direct, Elsevier B.V.
- [5] Sutton-Parker, J. (2022), 'Modernising and extending device lifecycles to support climate action: Nordic Choice Hotels impact case study.' California, USA: Google.
- [6] Sutton-Parker, J. and Procter, R. (2022), 'Determining greenhouse gas abatement achieved by repurposing end user computing devices'. Warwick, UK: University of Warwick, Computer Science Dept.
- [7] Sutton-Parker (2022), 'Can modern work applications and endpoints abate end user computing greenhouse gas emissions and drive climate action?'. Redmond, USA: Microsoft.
- [8] Sutton-Parker, J. (2022), 'Quantifying greenhouse gas abatement delivered by alternative computer operating system displacement strategies'. 1877-0509. Procedia Computer Science, Volume 203, 2022, Pages 254-263. Amsterdam, the Netherlands: Science Direct, Elsevier B.V.
- [9] Sutton-Parker, J. (2022), 'Determining the impact of information technology greenhouse gas abatement at the Royal Borough of Kingston and Sutton Council'. 1877-0509. Procedia Computer Science, Volume 203, 2022, Pages 300-309. Amsterdam, the Netherlands: Science Direct, Elsevier B.V.
- [10] Sutton-Parker, J. (2020), 'Determining end user computing device Scope 2 GHG emissions with accurate use phase energy consumption measurement'. Volume 175, 2020, Pages 484-491. doi.org/10.1016/j.procs.2020.07.069. 1877-0509. Procedia Computer Science. Amsterdam, the Netherlands: Science Direct, Elsevier B.V.
- [11] Sutton-Parker, J., Procter, R., Kass, S. and Rowe, D. (2020), 'Hydro66 Green Cloud Infrastructure – Cloud Computing Gives a Damn'. Boden, Sweden: Hydro 66, a Northern Data company.

- 
- [12] Sutton-Parker, J. (2015), 'Corporate and Social Responsibility (CSR) as a driver for the adoption of cloud computing'. Ambleside, Cumbria: IFLAS, University of Cumbria.
- [13] Sutton-Parker, J. (2021), 'Determining commuting greenhouse gas emissions abatement achieved by information technology enabled remote working'. Volume 191, 2021, Pages 296-303. doi.org/10.1016/j.procs.2021.07.037. 1877-0509. Procedia Computer Science. Amsterdam, the Netherlands: Science Direct, Elsevier B.V.
- [14] Sutton-Parker, J. (2022), 'Can analytics software measure end user computing electricity consumption?' Clean Technologies and Environmental Policy. 1618-9558. New York, USA: Springer.
- [15] United Nations (2015), 'Sustainable Development Goals'. New York: United Nations
- [16] Sutton-Parker, J. (2020), 'Quantifying resistance to the diffusion of information technology sustainability practices in the United Kingdom service sector'. Volume 175, 2020, Pages 517-524. doi.org/10.1016/j.procs.2020.07.073. 1877-0509. Procedia Computer Science. Amsterdam, the Netherlands: Science Direct, Elsevier B.V.
- [17] Px<sup>3</sup> Ltd. (2022), 'Sustainable IT in education – issues, trends & attitudes among decision makers.' Warwick: UK
- [18] Sutton-Parker, J. (2021), '2021 JSP UK Service Sector Sustainable Device Selection Survey Data'. Mendeley Data, V2, doi: 10.17632/6d7r874jtz.2
- [19] Sutton-Parker, J. (2021), 'EUC Device Use Phase GHG Emissions Research Paper for the Acer Chromebook Spin 513 Computer'. New Taipei City, Taiwan: Acer Inc.
- [20] Px<sup>3</sup> Ltd. (2022), 'Service R1: Computer Life Cycle Assessment (LCA)'. Warwick: UK
- [21] World Business Council for Sustainable Development and World Resources Institute.

## About Px<sup>3</sup>

*Px<sup>3</sup> is an award winning research focused IT consulting organisation specialising in sustainability and specifically the reduction of GHG emissions created by the way people work today. Our unique services enable global IT manufacturers, software vendors, cloud computing service providers, technology distributors, value added resellers plus commercial and public sector organisations to plan for and adopt sustainable IT that is good for the planet, people and productivity – hence our name. The DUPA process, Px<sup>3</sup> framework, cTEC methodology, Dynamic Carbon Footprint and Silent Sole certification name and icon are copyright of Px<sup>3</sup> Ltd. All practices were developed during PhD research conducted under the supervision of the University of Warwick Computer and Urban Science faculty and the Warwick Business Schools Sustainability and Business faculty.*

*The United Nations notes, 'The Global Goals can only be met if we work together. International investments & support is needed to ensure innovative technological development. To build a better world, we need to be supportive, empathetic, inventive, passionate, and above all, cooperative.' For information technology to drive SDG 13 Climate Action then SDG 17 Partnership for the goals is essential. Without cooperation we cannot achieve SDG12 Responsible Consumption and Production. At Px<sup>3</sup> our ethos reflects this. When asking IT stakeholders to rank the importance of climate change from 1-10, the average response is '9'. Whilst this identifies a passion for action, many organisations don't feel equipped to make the bridge between IT & climate action.*

*We empathise with this complex problem and use innovation to reveal that 'Great IT can also be Green IT'*

*To support responsible production, we conduct scientific research measuring the environmental impact of products & services produced by global technology companies. The rationale being that these organisations enable 4.2bn computer users to be productive or enjoy digital content. From a responsible consumption perspective, we help these companies to produce material explaining why their offerings meet SDG12 criteria. We also work in partnership and directly with their customers globally to drive behavioural changes that reduce IT supply chain, use-phase & end of life treatment emissions. As an example, our applications and consultants assist companies to select computers with the lowest carbon footprint, to measure their current IT carbon footprint and to realise potential sustainable IT strategies that enable positive change & ultimately GHG emissions abatement. This may be as simple as keeping devices for longer periods to reduce demand for the 460m new end user computing devices produced annually.*

*Such change is what ultimately drives SDG 13 Climate action. We've measured and advised people using almost 5m computers to date. As a result, as each year passes companies reduce their environmental footprint caused by IT.*

*We are achieving our goal to cumulatively abate 10,000,000 kgCO<sub>2</sub>e of GHG emissions every year via the diffusion of sustainable IT. In fact, as a result of empathy, support, innovation and cooperation, by 2035, carbon requiring the photosynthesis of 250,000 acres of forest will no longer enter our atmosphere. In context, that's a forest equivalent to 3.9m tennis courts.*

*We cannot do this without embracing SDG 17 partnership for the goals. If our passion isn't shared by manufacturers, vendors and customers then our research and consulting will not be adopted and diffused. And that's why Px<sup>3</sup> considers SDG 17 to be the binding element that enables us all to realise our ultimate goal of Climate Action. As such, we collectively thank our current and prospective ecosystem of companies that utilise Px<sup>3</sup> services to create a more sustainable future.*



## About the Author

Justin Sutton-Parker is a sustainable information technology professional. As a MBA in Sustainability & PhD Doctorate researcher for Computer and Urban Science with the University of Warwick and Warwick Business School, Justin regularly publishes empirical research in the world's leading scientific computing and environmental journals. Specialising in the field of information technology greenhouse gas abatement, Justin conducts commercial research for national government and over one dozen of the world's leading computer manufacturers, software vendors, cloud computing service providers, services organisations and internationally renowned third-party environmental certification organisations.

Responsible for empirical research within the field of sustainable IT, such as meaningful commercial computing typical energy consumption (cTEC) calculation, alternative operating system energy and concomitant greenhouse gas emissions reduction and the invention of the dynamic carbon footprint, Justin's research represents the foundation for research and consulting services, applications and frameworks delivered and used by Px<sup>3</sup>.

A regular public speaker, Justin is also editor, columnist and contributor for sustainability focused consumer and national press publications such as My Green Pod, having published the world's first mainstream magazine entirely dedicated to sustainable IT.

Whether via academic, commercial or social media channels, Justin specifically promotes the adoption of 4 simple steps to achieving a lower IT carbon footprint. These include low carbon footprint devices, green data centres, remote working to reduce commuting and the reduction of e-waste via displacement and circular economy strategies.



Contact: <https://www.linkedin.com/in/justin-sutton-parker-514b48/> or via [www.px3.org.uk](http://www.px3.org.uk)

### Px<sup>3</sup> Ltd

Innovation Centre  
University of Warwick Science Park  
Warwick Technology Park  
Gallows Hill  
Warwick  
CV34 6UW  
United Kingdom  
[px3.org.uk](http://px3.org.uk)