# Towards an Al-native communications system design

A closer look at how AI can substantively improve wireless performance starting with 5G Advanced

## Today's agenda

#### ONE

The rise of Al brings a unique opportunity to revolutionize the future of wireless technology

#### TWO

Al plays an essential role in every part of the cellular system, transforming how it evolves going forward

#### THREE

5G Advanced starts the era of wireless AI, focusing on use cases that can bring immediate benefits

#### FOUR

Qualcomm is driving foundational wireless Al innovations leading towards an Al-native 6G


#### FIVE

Questions?



The rise of Al brings a unique opportunity to revolutionize the future of wireless technology

### To scale efficiently, Al processing is expanding towards the edge



Qualcomm is leading the realization of the connected intelligent edge

#### **CONVERGENCE OF:**

Wireless connectivity Distributed AI

Efficient computing Unleashing massive amount of data to fuel our digital future


## Wireless strengths

Design driven by tractable mathematical models

Interpretable solutions

Good generalization under different deployment conditions

Simple model adaptation





Design with real world priors, fast and flexible models

Accurate prediction in complex tasks

Accurate modeling of generative process

Sensing and perception

Wireless and AI have complementary strengths






# Al hardware acceleration for superior 5G performance


Snapdragon is a product of Qualcomm Technologies, Inc. and/or its subsidiaries.

Qualcomm<sup>®</sup>
5G Al Processor
Gen 2 with
dedicated tensor
accelerator

Snapdragon®

Qualcomm® 5G AI Processor Gen 2





## Al-based mmWave beam management

1st sensor-modem-RF fusion solution for mmWave beam processing Up to
25% higher received
power\* for increased
mmWave robustness



<sup>\*</sup> Compared to Snapdragon X70 Modem-RF System

1 Compared to non-Al-based location tracking; Under typical GNSS-challenged dense urban canyon environment



Al-enhanced wireless communications



Hard-to-model problems



Computational infeasibility of optimal solution



Efficient modem parameter optimization




Dealing with non-linearity





Determining appropriate representations for hard-to-model problems



Modeling non-linear functions

### Applying AI to solve difficult wireless challenges

Deep wireless domain knowledge is required to optimally use AI capabilities

#### Our AI research areas to advance wireless communication

## 5G+AI



## Signal intelligence, baseband and medium access

ML-based channel feedback
Channel estimation & pilot optimization
MIMO detection
Link prediction & adaptation
Beam management and optimization
Spectrum sensing and sharing
Radio resource scheduling



## Network intelligence and system optimization

Coverage and capacity optimization
Traffic and mobility prediction
Energy saving
Cooperative edge caching
Content-aware X-layer optimization
Enhanced personalized security
TCP optimization




## Device intelligence and optimization

Digital front-end optimization
Antenna and RF optimization
Full duplex
Battery saving
Reflective intelligent surface



## Vertical intelligence and other capabilities


High-precision positioning Environmental sensing Contextual awareness Sensor fusion Vehicular communication



Transforming how it evolves going forward

### End-to-end AI working together to realize system gains

AI = the common ingredient of wireless innovations







### Optimized distributed clouds

Fully autonomous networks

Predictive and preventive optimization

Reduced network loading

## Intelligent disaggregated network

RAN<sup>1</sup> intelligent controller Interference coordination Massive MIMO scheduler / CoMP<sup>2</sup>

## Al-enabled air interface design

For coding, waveform, multiple access

Dynamic air interface adaptation (signaling, measurements, and feedback)

Joint training, model sharing, and distributed

inference across networks and devices

## Smart edge devices

Beam management (e.g., prediction)

CSF³ computation

ML-based positioning and sensing

Efficient network planning

Continuous operational optimization

Enhanced service experience









## Machine learning can offer continuous wireless enhancements

Al-native air interface design can enable continual system improvements in between major 3GPP releases through self-learning

CURRENT 3GPP RELEASE PROCESS

Release X

Approximately 1.5-year cycle

Release X+1

No standardized improvement during nominal Work/study item phase towards subsequent release



## Data-driven communication and network design

Data-driven system configuration provides end-to-end optimizations

Dynamic parameter adaptation based on fast machine learning algorithms

Neural network system design can customize to given wireless environment









## On-device Al improves the 5G end-to-end system





## Enhanced device experience

More intelligent beamforming and power management improve throughput, robustness, and battery life



## Improved system performance

On-device inference reduces network data traffic for more efficient mobility and spectrum utilization



## Better radio security

Detecting and defending against malicious base station spoofing and jamming with fingerprinting

#### Radio awareness

Environmental and contextual sensing that reduces access overhead and latency









## Al enables intelligent 5G network management

#### Enhanced service quality

Better mobility management, user localization, and user behavior and demand prediction

#### Higher network efficiency

More efficient scheduling, radio resource utilization, congestion control and routing



#### Simplified deployment

More capable Self Organizing Networks (SON) for e.g., mmWave network densification

#### Improved network security


More effective detection and defense against malicious attacks by analyzing a massive quantity of data

## Intelligent 5G mmWave network planning

#### Creating the digital twin

Fusing a variety of GIS and image sources via ML to arrive at such digital twin, in our example, of Manchester, England

Making use of readily available image sources and robust object detection/localization methods to create a representation with consistent locations and dimensions (e.g., poles, buildings, foliage)



#### Planning for network deployment


Running propagation modeling with pertinent RF parameters and an efficient optimization engine that identifies optimal placement of base stations to achieve a target throughput or coverage objective





### Delivering enhanced user experience

Showcasing exceptional performance (e.g., downlink user throughput) on several walk paths (e.g., from the train station to the Manchester United football stadium






## Intelligent network optimization for 5G private networks

#### Adaptive RAN operation for 5G private networks


Using our indoor IIoT OTA testbed with Qualcomm Edgewise™ Suite, featuring a SMO platform with a RIC that runs adaptive operations

Highlighting how RAN operation can be optimized for different traffic profiles (e.g., AGV, XR) to meet stringent QoS requirements (e.g., data throughput, latency)



#### Intelligent scheduling for virtualized 5G private networks

Utilizing our indoor IIoT OTA testbed to showcase a virtualized 5G private network with 3GPP & O-RAN disaggregation, benefits of ML-based interference prediction, and deployment scalability





## 5G Advanced starts the era of wireless Al

Focusing on key use cases that can bring immediate benefits

## 5G Advanced on the path to 6G



### Completed the groundwork for wireless AI – ready for 5G Advanced

3GPP Release 16

## Data collection for network performance enhancements



#### Enhanced Network Automation (eNA)

Expanding NWDAF¹ for data collection and exposure from/to 5G core NF, AF, OAM², data repositories



#### Minimization of Drive Testing (MDT)

Specifying features for identified use cases, including, QoS verification, coverage optimization, location reporting, sensor data collection



#### Self Organizing Network (SON)

Specifying device reporting needed to enhance network configurations and inter-node information exchange



## Expanding 5G system support for wireless Al



#### Enhancements for 5G network interfaces

Facilitating machine learning procedures, e.g., model training and inference, as well as actions to enforce model inference output



#### Augmented network & device data collection

Supporting targeted applications, e.g., energy saving, load balancing, mobility management, operations enhancements, expanded use case<sup>3</sup>



#### Support for over-the-top AI services

Introducing new QoS definitions that are tailored for machine learning model delivery over 5G



#### 3GPP Release 18 sets off the 5G Advanced Evolution



## Strengthen the end-to-end 5G system foundation



Advanced DL/UL MIMO



Enhanced mobility



Mobile IAB, smart repeater



Evolved duplexing



AI/ML air interface



Green networks

## Proliferate 5G to virtually all devices and use cases



Boundless extended reality



NR-Light (RedCap) evolution



Expanded sidelink



Expanded positioning



Drones & expanded satellites comm.



Multicast & other enhancements

## 5G ADVANCED



Working together across the connected intelligent edge

#### 5G NR Release 18 Scope

#### Al/ML-enabled air interface design



#### Use cases

Enhanced CSI<sup>2</sup> feedback, beam management, and positioning accuracy



#### AI/ML models

Collaboration models, life cycle management, and algorithms



#### **Evaluation methodology**

Existing 3GPP framework and field data to assess performance and identify KPIs



#### Impact assessment

Spec changes needed to support identified use cases, covering multiple aspects

#### AI/ML framework for next-gen RAN



#### **Network optimization**

Data collection and signaling support for energy saving, load balancing, mobility optimization



#### Future study

New use cases (e.g., Al/ML for slicing, QoE<sup>1</sup>), network functionality and interface procedures

5G Advanced evolution will expand wireless ML to the end-to-end system across RAN, device, and air interface



#### Network architecture enhancements

ML to run over different HW/SW and future RAN function split to improve flexibility and efficiency



#### AI/ML procedure enhancements

Model management, training (e.g., federated and reinforced learning), and inference




#### Data management enhancements

ML data storage/access, data registration/discovery, and data request/subscription



#### New and expanded use cases

Traffic/mobility prediction, optimized coverage/capacity, massive MIMO, SON, CSI, beam management, ...




### Release 18 focuses on three key wireless Al use cases

But many more potential use cases for the future

### Cross-node machine learning based channel state information

Explicit channel feedback framework for CSI compression and prediction utilizing domain knowledge and neural networks




Improve system efficiency with neural network framework for CSI on non-linear encoding and decoding

More effective multi-user multiplexing minimizing interference

Customized, lower overhead feedback based on individual device

<sup>1</sup> Channel State Information Reference Signal 22

## Using AI to improve channel state feedback



PAST DEMONSTRATIONS


#### MWC'21: System simulation ▶

Simulated ML-based CSF in a wide-area 3.5 GHz massive MIMO environment, demonstrated improved user downlink throughput and reducing uplink overhead



#### MWC'22: OTA testing ▶


Utilizing our indoor IIoT OTA testbed to showcase a virtualized 5G private network with 3GPP & O-RAN disaggregation, benefits of ML-based interference prediction, and deployment scalability




#### Qualconn

Al-native end-to-end communications Real-time OTA

Multi-vendor cross-node ML-based channel state feedback ~






Joint training for neural network encoder and decoder requires knowledge of both neural network structures - not desirable for multi-vendor deployment

**Next: Sequential training** 

Change training method

### Machine learning based mmWave beam management

Beam prediction utilizing domain knowledge, location, velocity, other aspects of environmental and application awareness to improve robustness and throughput




Reduced feedback overhead and transmission from device

Reduced transmission of reference signal from base station

Efficient beam tracking and beam search for higher performance

## Using AI to enhance mmWave beam management



PAST DEMONSTRATIONS

#### MWC'21: beam prediction ▶


Implemented in our 28 GHz OTA test network machine learning based beam prediction that can increase system capacity and device battery life



#### MWC'22: gain quantification ▶

Expanded our OTA prototype of base station-side beam prediction, quantitatively showcased improved usable capacity and extended device battery life, utilizing Qualcomm® Cloud AI 100 platform and Snapdragon® Modem-RF system







Beam prediction: Base station-side with dynamic interpolation

# Al/ML for enhanced positioning and RF sensing performance

Supplemented by various assisting information, such as GNSS, multi-path profiles, and other sensors



## Using AI to enhance positioning and RF sensing accuracy



PAST DEMONSTRATIONS

#### MWC'21: 5G RTT+AoA ▶

Implemented in our 3.5 GHz OTA test network machine learning based wide-area 5G positioning using RTT+AoA with GNSS sensor fusion

#### MWC'21: Wi-Fi indoor ▶

Leveraged unsupervised/weakly supervised learning – also applicable to 5G RF sensing (e.g., for positioning, motion and gesture detection)







### Intelligent Industrial Positioning

Over-the-air

#### Multipath

Numerous indoor surfaces generate multiple reflections

#### Non-line of sight (NLOS)

Variety of indoor obstructions block line of sight



Obstruction



### Further evolving wireless AI in 5G Advanced

#### Potential work items for Release 19 and beyond

## Realizing the key use cases studied in Release 18

Potential Release 19 work items



Two-sided CSI<sup>1</sup> with spatial/frequency-domain compression and time-domain prediction



Beam management with spatial-domain and time-domain prediction



Direct and Al-assisted positioning accuracy enhancements

## Specifying protocol and signaling to enable wireless Al



Device capability signaling, including model and functionality identification



Life Cycle Management including Model ID and AI/ML functionality related procedures: e.g., configuration, activation, deactivation, switching, fallback



Data/measurement reporting as input to inference

#### Also exploring additional use cases on the path to 6G...



Such as inter-cell beam management, mobility management, new learning framework, and more...

<sup>1</sup>Channel State Information 31






1 2 3 4

Drive cutting-edge foundational technology advancements and system innovations Validate system designs via comprehensive simulations and over-the-air prototypes

Lead global technology standardization with broad ecosystem collaborations Prepare for commercialization at scale in future products and services

## Leading machine learning research for edge Al

across the entire spectrum of topics



Key longer-term research vectors

## enabling the path towards 6G



Key longer-term research vectors

## enabling the path towards 6G



#### Al-native E2E communications

Data-driven communication and network design, with joint training, model sharing and distributed inference across networks and devices



#### Scalable network architecture

Disaggregation and virtualization at the connected intelligent edge, use of advanced topologies to address growing demand



#### Expanding into new spectrum bands

Expanding to THz, wide-area expansion to higher bands, new spectrum sharing paradigm, dynamic coordination with environmental awareness



#### Air interface innovations

Evolution of duplexing schemes, Giga-MIMO, mmWave evolution, reconfigurable intelligent surfaces, non-terrestrial communications, waveform/coding for MHz to THz, system energy efficiency

36



#### Merging of worlds

Physical, digital, virtual, immersive interactions taking human augmentation to next level via ubiquitous, low-power joint communication and sensing



#### Communications resiliency

Multifaceted trust and configurable security, post quantum security, robust networks tolerant to failures and attacks



### Evolving towards an Al-native wireless system

#### Multiple wireless AI/ML training and inference scenarios

#### Overlay AI/ML

INDEPENDENTLY AT THE DEVICE OR NETWORK



Network ML

On-device ML


ML operates independently at the device and network as an optimization of existing functions

Proprietary ML procedures including model development and management

Proprietary and standardized data collection used as input to training

#### Cross-node AI/ML

COORDINATED BETWEEN DEVICE AND NETWORK



ML operates in a coordinated manner between the device and network

Proprietary and standardized ML procedures including model development and management

Further data collection used as input to training as well as monitoring

#### Native AI/ML

AT ALL DEVICE AND NETWORK LAYERS



ML operates autonomously between the device and network across all protocols and layers

Integrated ML procedures across to train performance and adapt to different environments

Data fusion for integrated dynamic ML lifecycle management







### **Generative Al**

Creating new and original content for innovative consumer and enterprise use cases

(e.g., text, images, video, audio, and other data)


SOME GOOD EXAMPLES...

Large language models for text generation (e.g., ChatGPT, BARD)

Diffusion models for image generation

(e.g., Stable Diffusion, DALL-E2)





Stable Diffusion images generated on an Android phone powered by Snapdragon, with the prompt: "Super cute fluffy cat warrior in armor, photorealistic, 4K, ultra detailed, vray rendering."

## World's first on-device demo of Stable Diffusion running on an Android phone

1B+ parameter generative Al model runs efficiently and interactively

Full-stack AI optimization to achieve sub-15 second latency for 20 inference steps

Enhanced privacy, security, reliability, and cost with ondevice processing

Fast time-to-market enabled by Qualcomm Al Research and Qualcomm® Al Stack



## Applying generative modeling to improve wireless communications system design

Wide applicability for Generative Modeling



#### Real-time use cases for air interface

Propagation channel
Beam management
Interference prediction

Scheduler optimization Traffic source Mobility enhancement Link / system simulation

Deployment optimization

Positioning and sensing

Network and device optimization

Others...

#### Application examples

#### Channel rendering



Text description of image or semantic map





#### Diffusion model

(To generate channel information)





Channel sampled from a conditional distribution P (h  $\mid$  conditioning from inputs, location)

#### Network / device prediction



Context in text, e.g., history of device reports and base station responses





#### Large language model

To learn link, beam, protocol languages





Next action for base station and/or device, sampled from a conditional distribution P (next action | conditioning from inputs)

## Our on-going wireless generative Al research areas

3D mapping and material learning

Foundation models (e.g., link and protocol level use cases, beam prediction, and others)

Neural channel rendering (e.g., map-based, ray tracer augmented, site-specific, and others)

Customized ML-based stochastic channel

Neural surrogate for base station scheduler and applications traffic

And others...

### Driving the 5G Advanced technology evolution into 6G

Next technology leap for new capabilities and efficiencies

Foundational research, vision, requirements, etc.

Rel-21 and beyond New innovation platform

Historically 10 years between generations

Technology foundation for the next generation

Rel-18, 19. 20 and beyond Continued 5G evolution and proliferation


A key enabler of the connected intelligent edge

**5G** 

Rel-15 eMBB focus Rel-16 and 17 expanding to new industries



Strong 5G momentum sets stage for global expansion



system foundation



Demo 3: Multi-AP joint transmission for Wi-Fi

and use cases



## Towards an Al-native communications system design

A closer look at how AI can meaningfully improve wireless performance starting with 5G Advanced



The rise of AI brings a unique opportunity to revolutionize the future of wireless technology





Al plays an essential role in every part of the cellular system, transforming the way it evolves going forward



5G Advanced starts the era of wireless AI, focusing on use cases that can bring immediate benefits



Qualcomm is driving foundational wireless AI innovations leading towards an AI-native 6G

### Qualcom

Follow us on: in **y** 💿 🖸







For more information, visit us at:

qualcomm.com & qualcomm.com/blog

Nothing in these materials is an offer to sell any of the components or devices referenced herein.

©2018-2023 Qualcomm Technologies, Inc. and/or its affiliated companies. All Rights Reserved.

Qualcomm is a trademark or registered trademark of Qualcomm Incorporated. Other products and brand names may be trademarks or registered trademarks of their respective owners.

References in this presentation to "Qualcomm" may mean Qualcomm Incorporated, Qualcomm Technologies, Inc., and/or other subsidiaries or business units within the Qualcomm corporate structure, as applicable. Qualcomm Incorporated includes our licensing business, QTL, and the vast majority of our patent portfolio. Qualcomm Technologies, Inc., a subsidiary of Qualcomm Incorporated, operates, along with its subsidiaries, substantially all of our engineering, research and development functions, and substantially all of our products and services businesses, including our QCT semiconductor business.

Snapdragon and Qualcomm branded products are products of Qualcomm Technologies, Inc. and/or its subsidiaries. Qualcomm patented technologies are licensed by Qualcomm Incorporated.